



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

Hazardous according to criteria of Australian Safety and Compensation Council

## 1 Identification of the substance/mixture and of the company/undertaking

### · Product identifier

· Trade name: **Dentalon plus liquid**

· **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **Application of the substance / the mixture** Manufacture of dental prothesis

### · Details of the supplier of the safety data sheet

#### · **Manufacturer/Supplier:**

Heraeus Kulzer Australia Pty Ltd  
Unit 32  
11 – 21 Underwood Rd  
HOMEBUSH NSW 2140  
Australia

Tel: +61 (0) 2 9764 5222

· **Informing department:** see above

· **Emergency telephone number:** Emergency contact number: 13 11 26 (24 hours)

## 2 Hazards identification

### · Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

### · Label elements

#### · **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

#### · **Hazard pictograms**



GHS02 GHS07

#### · **Signal word** Warning

#### · **Hazard-determining components of labelling:**

n-butyl methacrylate  
methyltrioctylammonium chloride  
ethyl methacrylate

#### · **Hazard statements**

Flammable liquid and vapour.  
Causes skin irritation.  
May cause an allergic skin reaction.  
May cause respiratory irritation.

#### · **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)

AUS



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

**Trade name: Dentalon plus liquid**

(Contd. of page 1)

Avoid breathing dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Specific treatment (see on this label).

Store locked up.

· **Other hazards -**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

· **Chemical characterisation: Mixtures**

- **Description:** Product based on methacrylates

· **Dangerous components:**

CAS: 97-88-1 EINECS: 202-615-1	n-butyl methacrylate Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	75-90%
CAS: 97-63-2 EINECS: 202-597-5	ethyl methacrylate Flam. Liq. 2, H225; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	5-10%
CAS: 25973-55-1	2-(2-Hydroxy-3,5-di-tert-pentylphenyl)-2H-benzotriazol STOT RE 2, H373	0-5%

· **SVHC**

25973-55-1 2-(2-Hydroxy-3,5-di-tert-pentylphenyl)-2H-benzotriazol

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

**4 First aid measures**

· **Description of first aid measures**

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
In case of persistent symptoms consult doctor.  
Product based on methacrylates
- **Information for doctor**
  - **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

AUS

(Contd. on page 3)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

**Trade name: Dentalon plus liquid**

(Contd. of page 2)

### 5 Firefighting measures

- **Extinguishing media**
  - **Suitable extinguishing agents** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
  - **For safety reasons unsuitable extinguishing agents**  
Water.  
Water with a full water jet.
- **Special hazards arising from the substance or mixture**  
Can form explosive gas-air mixtures.  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
  - **Protective equipment:** No special measures required.
- **Additional information** -

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
No dangerous materials are released.  
See Section 8 for information on personal protection equipment.
- 

### 7 Handling and storage

- **Handling**
  - **Precautions for safe handling** Keep containers tightly sealed.
  - **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and containers:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** Store cool (not above 25 °C).
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

**Trade name: Dentalon plus liquid**

(Contd. of page 3)

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**97-88-1 n-butyl methacrylate**

Dermal worker industr., l.te., local 5 mg/Kg/d (nd)

Inhalative worker industr., l.te., local 409 mg/m<sup>3</sup> (nd)

· **PNECs**

**97-88-1 n-butyl methacrylate**

freshwater 0.17 mg/l (nd)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.  
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR  
Nitrile rubber, NBR

· **Eye protection:**

Protective goggles are recommended.  
Tightly sealed safety glasses.

(Contd. on page 5)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

**Trade name: Dentalon plus liquid**

· **Body protection:** Light weight protective clothing

(Contd. of page 4)

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:**

Fluid

· **Colour:**

Colourless

· **Smell:**

Characteristic

· **Odour threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

· **Melting point/Melting range:**

Not determined

· **Boiling point/Boiling range:**

119 °C

· **Flash point:**

24 °C

· **Inflammability (solid, gaseous)**

Not applicable.

· **Ignition temperature:**

490.0 °C

· **Decomposition temperature:**

Not determined.

· **Self-inflammability:**

Product is not selfigniting.

· **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapour mixtures is possible.

· **Critical values for explosion:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Steam pressure at 20 °C:**

40 hPa

· **Density at 20 °C**

0.940 g/cm<sup>3</sup>

· **Relative density**

Not determined.

· **Vapour density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**

· **Water:**

Not miscible or difficult to mix

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **dynamic at 20 °C:**

1 mPas

· **kinematic:**

Not determined.

· **Solvent content:**

· **Solids content:**

1.0 %

(Contd. on page 6)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

**Trade name: Dentalon plus liquid**

(Contd. of page 5)

· **Other information** No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None
- **Additional information:**  
If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

**11 Toxicological information**

- **Information on toxicological effects**
  - **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

<b>97-88-1 n-butyl methacrylate</b>		
Oral	LD50	> 2000 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)
Inhalative	LC50/4 h	4910 mg/l (rat)
Sensitisation	Sensib.	sensib. (nd)
<b>41137-60-4 diurethandimethacrylate</b>		
Oral	LD50	>5000 mg/kg (rat)
<b>97-63-2 ethyl methacrylate</b>		
Oral	LD50	14800 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (can)
Inhalative	LC50/4 h	38 mg/l (rat)
<b>5137-55-3 methyltriocylammonium chloride</b>		
Oral	LD50	223 mg/kg (rat)

- **Primary irritant effect:**
  - **Skin corrosion/irritation** Irritant for skin and mucous membranes.
  - **Serious eye damage/irritation** Irritant effect.
  - **Respiratory or skin sensitisation** Sensitization possible by skin contact.
- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
Irritant

AUS

(Contd. on page 7)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

**Trade name: Dentalon plus liquid**

(Contd. of page 6)

**12 Ecological information**

· **Toxicity**

· **Aquatic toxicity:**

**97-88-1 n-butyl methacrylate**

EC50/72h	31.2 mg/l (algae) (OECD 201)
EC50/48h	25.4 mg/l (daphnia) (OECD 202 Teil 1)
LC50/96h	5.57 mg/l (fish)

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· **UN-Number**

· **ADG, IMDG, IATA** 1993

· **UN proper shipping name**

· **ADG** 1993 FLAMMABLE LIQUID, N.O.S. (not viscous) (BUTYL METHACRYLATE, STABILIZED, ETHYL METHACRYLATE, STABILIZED)

· **IMDG, IATA** FLAMMABLE LIQUID, N.O.S. (BUTYL METHACRYLATE, STABILIZED, ETHYL METHACRYLATE, STABILIZED)

(Contd. on page 8)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

**Trade name: Dentalon plus liquid**

(Contd. of page 7)

· **Transport hazard class(es)**

· **ADG**



· **Class**  
· **Label**

3 (F1) Flammable liquids.  
3

· **IMDG, IATA**



· **Class**  
· **Label**

3 Flammable liquids.  
3

· **Packing group**

· **ADG, IMDG, IATA**

III

· **Environmental hazards:**

· **Marine pollutant:**

No

· **Special precautions for user**

· **Kemler Number:**

Warning: Flammable liquids.

· **EMS Number:**

30  
F-E,S-E

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

-

· **UN "Model Regulation":**

UN1993, FLAMMABLE LIQUID, N.O.S., special provision 640E (n-BUTYL METHACRYLATE, STABILIZED, ETHYL METHACRYLATE, STABILIZED), 3, III

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02



GHS07

(Contd. on page 9)





**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

**Trade name: Dentalon plus liquid**

(Contd. of page 8)

· **Signal word** *Warning*

· **Hazard-determining components of labelling:**

*n*-butyl methacrylate  
methyltrioctylammonium chloride  
ethyl methacrylate

· **Hazard statements**

*Flammable liquid and vapour.*  
*Causes skin irritation.*  
*May cause an allergic skin reaction.*  
*May cause respiratory irritation.*

· **Precautionary statements**

*Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*  
*Use explosion-proof electrical/ventilating/lighting/equipment.*  
*Avoid breathing dust/fume/gas/mist/vapours/spray.*  
*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*  
*Specific treatment (see on this label).*  
*Store locked up.*

· **National regulations**

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

25973-55-1 2-(2-Hydroxy-3,5-di-tert-pentylphenyl)-2H-benzotriazol

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

*H225 Highly flammable liquid and vapour.*  
*H226 Flammable liquid and vapour.*  
*H315 Causes skin irritation.*  
*H317 May cause an allergic skin reaction.*  
*H319 Causes serious eye irritation.*  
*H335 May cause respiratory irritation.*  
*H373 May cause damage to organs through prolonged or repeated exposure.*

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*  
*IMDG: International Maritime Code for Dangerous Goods*  
*IATA: International Air Transport Association*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*DNEL: Derived No-Effect Level (REACH)*  
*PNEC: Predicted No-Effect Concentration (REACH)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*SVHC: Substances of Very High Concern*  
*vPvB: very Persistent and very Bioaccumulative*

(Contd. on page 10)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 4

Revision: 03.06.2017

**Trade name: Dentalon plus liquid**

(Contd. of page 9)

*Flam. Liq. 2: Flammable liquids – Category 2*

*Flam. Liq. 3: Flammable liquids – Category 3*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*Skin Sens. 1: Skin sensitisation – Category 1*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*

**\* Data compared to the previous version altered.**

AUS