



**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
  - Trade name: **Palatray XL**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**


No further relevant information available.

  - **Application of the substance / the mixture** Auxiliary for manufacture of dental prothesis
- **1.3 Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
Kulzer GmbH  
Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522
  - **Informing department:** E-Mail: [msds@kulzer-dental.com](mailto:msds@kulzer-dental.com)
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
    - **Classification according to Regulation (EC) No 1272/2008**  
Skin Sens. 1 H317 May cause an allergic skin reaction.
  - **2.2 Label elements**
    - **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

      - **Hazard pictograms**
- 

GHS07
- **Signal word** Warning
  - **Hazard-determining components of labelling:**

4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid  
triethylen glycol dimethacrylate
  - **Hazard statements**

H317 May cause an allergic skin reaction.
  - **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P321 Specific treatment (see on this label).  
P363 Wash contaminated clothing before reuse.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P302+P352 IF ON SKIN: Wash with plenty of water.
  - **2.3 Other hazards -**
    - **Results of PBT and vPvB assessment**
      - **PBT:** Not applicable.

(Contd. on page 2)

GB



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

**Trade name: Palatray XL**

· **vPvB:** Not applicable.

(Contd. of page 1)

**SECTION 3: Composition/information on ingredients**

· **3.2 Chemical characterisation: Mixtures**

· **Description:** Product based on methacrylates

· **Dangerous components:**

	Aliphatic urethane acrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-10%
CAS: 55818-57-0 EINECS: 225-144-3 Reg.nr.: 01-2119490020-53-0001	4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid Skin Sens. 1, H317	5-10%
CAS: 109-16-0 EINECS: 203-652-6 Reg.nr.: 01-2119969287-21-0000	triethylen glycol dimethacrylate Skin Sens. 1B, H317	5-10%
CAS: 75980-60-8 EINECS: 278-355-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide Repr. 2, H361f	< 1%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information** No special measures required.

· **After skin contact** The product is not skin irritating.

· **After eye contact** Rinse opened eye for several minutes under running water.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

· **Additional information** -

GB

(Contd. on page 3)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

**Trade name: Palatray XL**

(Contd. of page 2)

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
- **6.4 Reference to other sections**  
No dangerous materials are released.  
See Section 8 for information on personal protection equipment.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special measures required.
  - **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and containers:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** Store cool (not above 25 °C).
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1 Control parameters**
  - **Components with critical values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**55818-57-0 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid**

Dermal	worker industr., l.te., syst.	17.5 mg/Kg/d (nd)
--------	-------------------------------	-------------------

Inhalative	worker industr., l.te., syst.	122.5 mg/m3 (nd)
------------	-------------------------------	------------------

**109-16-0 triethylen glycol dimethacrylate**

Dermal	worker industr., l.te., syst.	13.9 mg/Kg/d (nd)
--------	-------------------------------	-------------------

Inhalative	worker industr., l.te., syst.	48.5 mg/m3 (nd)
------------	-------------------------------	-----------------

· **PNECs**

**55818-57-0 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid**

freshwater	0.1 mg/l (nd)
------------	---------------

marine water	0.01 mg/l (nd)
--------------	----------------

interm. wat. release	1.0 mg/l (nd)
----------------------	---------------

STP	10 mg/l (nd)
-----	--------------

(Contd. on page 4)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

**Trade name: Palatray XL**

(Contd. of page 3)

sedim., dw, fre.wat.	35.8 mg/Kg (nd)
soil,dw	71 mg/Kg (nd)
<b>109-16-0 triethylen glycol dimethacrylate</b>	
marine water	0.0164 mg/l (nd)
sedim., dw, fre.wat.	1.85 mg/Kg (nd)
sedim., dw, mar.wat.	0.185 mg/Kg (nd)
soil,dw	0.274 mg/Kg (nd)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.

· **Breathing equipment:** Not required.

· **Protection of hands:**

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.  
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR  
Nitrile rubber, NBR

· **Eye protection:** not absolutely necessary

· **Body protection:** Light weight protective clothing

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:**

Chips

· **Colour:**

Red

grey-green

· **Smell:**

Weak, characteristic

· **Odour threshold:**

Not determined.

· **pH-value:**

Not applicable.

(Contd. on page 5)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

**Trade name: Palatray XL**

(Contd. of page 4)

· <b>Change in condition</b>	
· <b>Melting point/Melting range:</b>	Not determined
· <b>Boiling point/Boiling range:</b>	101 °C
· <b>Flash point:</b>	> 150 °C
· <b>Inflammability (solid, gaseous)</b>	Not determined.
· <b>Ignition temperature:</b>	
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-inflammability:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product is not explosive.
· <b>Critical values for explosion:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Steam pressure at 20 °C:</b>	40 hPa
· <b>Density at 20 °C</b>	1.880 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Insoluble
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
· <b>dynamic:</b>	Not applicable.
· <b>kinematic:</b>	Not applicable.
· <b>Solvent content:</b>	
· <b>Solids content:</b>	77.3 %
· <b>9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
  - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None

(Contd. on page 6)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

**Trade name: Palatray XL**

(Contd. of page 5)

**Additional information:**

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values that are relevant for classification:**

**Aliphatic urethane acrylate**

Oral	LD50	>5000 mg/kg (rat)
------	------	-------------------

**55818-57-0 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid**

Oral	LD50	>5000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5000 mg/kg (rabbit)
Sensitisation	Sensib.	(human) sensib. (mouse) (LLNA)

**68909-20-6 hochdisperse Kieselsäure**

Oral	LD50	>5000 mg/kg (rat)
------	------	-------------------

**109-16-0 triethylen glycol dimethacrylate**

Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (mouse)

**75980-60-8 diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide**

Oral	LD50	> 5000 mg/kg (rat)
------	------	--------------------

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:**

**55818-57-0 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid**

EC50/72h	> 110 mg/l (algae) (OECD 201)
----------	-------------------------------

(Contd. on page 7)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

**Trade name: Palatray XL**

(Contd. of page 6)

LC50/96h > 79 mg/l (fish) (OECD 203)

**109-16-0 triethylen glycol dimethacrylate**

EC50/72h > 100 mg/l (algae)

**75980-60-8 diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide**

EC50/48h 10 100 mg/l (algae)

10 - 100 mg/l (daphnia)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
  - **Additional ecological information:**
    - **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
  - **Recommendation**  
Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.
- **European waste catalogue**

18 01 06	chemicals consisting of or containing dangerous substances
----------	--
- **Uncleaned packagings:**
  - **Recommendation:** Packaging can be reused or recycled after cleaning.

**SECTION 14: Transport information**

- |   |      |
|---|------|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b> <ul style="list-style-type: none"> <li>· <b>ADR, ADN, IMDG, IATA</b></li> </ul> </li> </ul>  | Void |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b> <ul style="list-style-type: none"> <li>· <b>ADR, ADN, IMDG, IATA</b></li> </ul> </li> </ul>                            | Void |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b> <ul style="list-style-type: none"> <li>· <b>ADR, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul> </li> </ul> | Void |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b> <ul style="list-style-type: none"> <li>· <b>ADR, IMDG, IATA</b></li> </ul> </li> </ul>   | Void |

(Contd. on page 8)

GB



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

**Trade name: Palatray XL**

(Contd. of page 7)

- |  |                 |
|--|-----------------|
| · <b>14.5 Environmental hazards:</b>   |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>14.6 Special precautions for user</b>                                       | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| · <b>Transport/Additional information:</b>                                       | -               |
| · <b>UN "Model Regulation":</b>  | Void            |

**SECTION 15: Regulatory information**

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H361f Suspected of damaging fertility.

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- Skin Sens. 1B: Skin sensitisation – Category 1B
- Repr. 2: Reproductive toxicity – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- \* **Data compared to the previous version altered.**