



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.04.2018

Version number 5

Revision: 05.04.2018

Hazardous according to criteria of Australian Safety and Compensation Council.

## 1 Identification

### · Product identifier

· Trade name: **Alginoplast**

· **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **Application of the substance / the mixture** Dental impression material

### · Details of the supplier of the safety data sheet

#### · **Manufacturer/Supplier:**

Heraeus Kulzer Australia Pty Ltd  
Unit 32  
11 – 21 Underwood Rd  
HOMEBUSH NSW 2140  
Australia

Tel: +61 (0) 2 9764 5222

· **Informing department:** see above

· **Emergency telephone number:** Emergency contact number: 13 11 26 (24 hours)

## 2 Hazard(s) Identification

### · **Classification of the substance or mixture**

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

### · **Label elements**

#### · **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

#### · **Hazard pictograms**



GHS07 GHS08

· **Signal word** Warning

#### · **Hazard-determining components of labelling:**

Kieselguhr, soda ash flux-calcined  
dipotassium hexafluorotitanate

#### · **Hazard statements**

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated exposure.

#### · **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

#### · **Other hazards -**

#### · **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 2)

AUS



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.04.2018

Version number 5

Revision: 05.04.2018

**Trade name: Alginoplast**

· **vPvB:** Not applicable.

(Contd. of page 1)

### 3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:** -

· **Dangerous components:**

CAS: 68855-54-9 EINECS: 272-489-0	Kieselguhr, soda ash flux-calcined STOT RE 2, H373	50-75%
CAS: 14807-96-6 EINECS: 238-877-9	Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	5-10%
CAS: 16919-27-0 EINECS: 240-969-9	dipotassium hexafluorotitanate Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1, H317; STOT SE 3, H335	0-5%
CAS: 8002-74-2 EINECS: 232-315-6	Paraffin waxes and Hydrocarbon waxes	0-5%
CAS: 1309-48-4 EINECS: 215-171-9	magnesium oxide	0-5%

· **Additional information**

The hazards in Chapters 3 do not relate to the product itself, but to the ingredients of the product.  
For more details see chapter 11.

For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

· **Description of first aid measures**

· **After inhalation** Supply fresh air; consult doctor in case of symptoms.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** No special measures required.

(Contd. on page 3)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.04.2018

Version number 5

Revision: 05.04.2018

**Trade name: Alginoplast**

· **Additional information -**

(Contd. of page 2)

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **Methods and material for containment and cleaning up:**  
Send for recovery or disposal in suitable containers.
- **Reference to other sections**  
See Section 7 for information on safe handling  
See Section 13 for information on disposal.  
See Section 8 for information on personal protection equipment.

### 7 Handling and Storage

- **Handling**
  - **Precautions for safe handling** Wear protective equipment. Keep unprotected persons away.
  - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and containers:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

#### 14807-96-6 Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>)

WES (Australia)	Long-term value: 2.5 mg/m <sup>3</sup>
PEL (USA)	Long-term value: 20 mppcf ppm (containing <1% Quartz)
REL (USA)	Long-term value: 2* mg/m <sup>3</sup> *respirable dust; and <1% Quartz
TLV (USA)	Long-term value: 2* mg/m <sup>3</sup> *as respirable fraction; E

#### 8002-74-2 Paraffin waxes and Hydrocarbon waxes

WES (Australia)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Long-term value: 2 mg/m <sup>3</sup>
TLV (USA)	Long-term value: 2 mg/m <sup>3</sup>

#### 1309-48-4 magnesium oxide

WES (Australia)	Long-term value: 10 mg/m <sup>3</sup>
-----------------	---------------------------------------

(Contd. on page 4)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.04.2018

Version number 5

Revision: 05.04.2018

**Trade name: Alginoplast**

(Contd. of page 3)

PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> fume; *total particulate
TLV (USA)	Long-term value: 10* mg/m <sup>3</sup> *as inhalable fraction

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.  
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye protection:** Tightly sealed safety glasses.

· **Body protection:** Light weight protective clothing

## 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:** Solid.

· **Colour:** According to product specification

· **Smell:** Aromatic

· **Odour threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

· **Melting point/freezing point:** Not determined

· **Initial boiling point and boiling range:** Not determined

· **Flash point:** Not applicable

· **Inflammability (solid, gaseous)** Not determined.

(Contd. on page 5)

AUS



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.04.2018

Version number 5

Revision: 05.04.2018

**Trade name: Alginoplast**

(Contd. of page 4)

· <b>Ignition temperature:</b>	
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-inflammability:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive.
· <b>Critical values for explosion:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Steam pressure:</b>	Not applicable.
· <b>Density</b>	Not determined
· <b>Settled apparent density</b>	250-500 kg/m3
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Insoluble
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
· <b>dynamic:</b>	Not applicable.
· <b>kinematic:</b>	Not applicable.
· <b>Other information</b>	No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None

### 11 Toxicological Information

- **Information on toxicological effects**
  - **Acute toxicity**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>16919-27-0 dipotassium hexafluorotitanate</b>		
Oral	LD50	324 mg/kg (rat)

- **Primary irritant effect:**
  - **Skin corrosion/irritation** No irritant effect.
  - **Serious eye damage/irritation** No irritant effect.
- **Respiratory or skin sensitisation**  
No sensitizing effect known.  
Guinea-Pig Maximisation Test (OECD 406): negative

(Contd. on page 6)

AUS



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.04.2018

Version number 5

Revision: 05.04.2018

**Trade name: Alginoplast**

(Contd. of page 5)

**· Additional toxicological information:**

The product contains no relevant dust particles (particel size > 100 micrometer) because the surface of the kieselguhr is coated with paraffin wax.

**12 Ecological Information**

- **Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
  - **Recommendation**  
Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage.  
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b> <ul style="list-style-type: none"><li>· <b>ADG, ADN, IMDG, IATA</b></li></ul>   | Void            |
| · <b>UN proper shipping name</b> <ul style="list-style-type: none"><li>· <b>ADG</b></li><li>· <b>ADN, IMDG, IATA</b></li></ul>           | Void<br>Void    |
| · <b>Transport hazard class(es)</b> <ul style="list-style-type: none"><li>· <b>ADG, ADN, IMDG, IATA</b></li><li>· <b>Class</b></li></ul> | Void            |
| · <b>Packing group</b> <ul style="list-style-type: none"><li>· <b>ADG, IMDG, IATA</b></li></ul>  | Void            |
| · <b>Environmental hazards:</b> <ul style="list-style-type: none"><li>· <b>Marine pollutant:</b></li></ul>                               | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>  | Not applicable. |
| · <b>Transport/Additional information:</b>   | -               |

(Contd. on page 7)





**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.04.2018

Version number 5

Revision: 05.04.2018

**Trade name: Alginoplast**

(Contd. of page 6)

· **UN "Model Regulation":** Void

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Warning

· **Hazard-determining components of labelling:**

Kieselguhr, soda ash flux-calcined  
dipotassium hexafluorotitanate

· **Hazard statements**

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.04.2018

Version number 5

Revision: 05.04.2018

**Trade name: Alginoplast**

LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity – Category 4  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
· \* **Data compared to the previous version altered.**

(Contd. of page 7)

AUS