



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

1 Identification

· **Product identifier**

· **Trade name:** **PreVISION CEM**

· **Application of the substance / the mixture**

Dental cement

One-component cement for temporary cementation

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522

· **Information department:**

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545

e-mail: customer.servicehkna@kulzer-dental.com

· **Emergency telephone number:**

Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

· **Classification of the substance or mixture**

The product is not classified according to the Globally Harmonized System (GHS).

· **Label elements**

· **GHS label elements** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Classification system**

· **NFPA ratings for USA (scale 0-4)**



Health = 0

Fire = 1

Reactivity = 0

· **HMIS-Ratings (Scale 0-4)**



Health = 0

Fire = 1

Reactivity = 0

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** -

(Contd. on page 2)

USA



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: PreVISION CEM

(Contd. of page 1)

· Dangerous components:

	zinc oxide	25-50%
	Methylsiliconharz, methoxyfunktionell Flam. Liq. 3, H226	10-25%
3087-37-4	titanium tetrapropanolate Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	0-5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.

· Information for doctor

- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- **Suitable extinguishing agents**
CO₂, sand, extinguishing powder. Do not use water.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
 - **Protective equipment:** No special measures required.
- **Additional information** -

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 3)



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: PreVISION CEM

(Contd. of page 2)

7 Handling and storage

- **Handling**
 - **Precautions for safe handling**
Please observe the additional instructions in the product's instructions for use.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

zinc oxide

PEL	15* 5** 5*** mg/m ³ *total dust **respirable dust ***fume
REL	Short-term value: C 15* 10** mg/m ³ Long-term value: 5* 5** mg/m ³ *dust only **fume
TLV	Short-term value: 10* mg/m ³ Long-term value: 2* mg/m ³ *as respirable fraction

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not required.

· **Protection of hands:**

Check protective gloves prior to each use for their proper condition.
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: PreVISION CEM

(Contd. of page 3)

- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Butyl rubber, BR
Nitrile rubber, NBR
- **Eye protection:** Not absolutely necessary.
- **Body protection:** Light weight protective clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- **Form:** Pasty
- **Color:** White
- **Odor:** Odorless
- **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

- **Melting point/Melting range:** undetermined
- **Boiling point/Boiling range:** 110 °C (230 °F)

· **Flash point:** 162 °C (324 °F)

· **Flammability (solid, gaseous)** Not determined.

· **Ignition temperature:** 380 °C (716 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Vapor pressure at 20 °C (68 °F):** 47 hPa (35 mm Hg)

· **Density at 20 °C (68 °F):** 1.64 g/cm³ (13.686 lbs/gal)

- **Relative density** Not determined.
- **Vapor density** Not applicable.
- **Evaporation rate** Not applicable.

· **Solubility in / Miscibility with**

· **Water:** Insoluble

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

- **dynamic:** Not applicable.
- **kinematic:** Not applicable.

(Contd. on page 5)



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: PreVISION CEM

(Contd. of page 4)

· **Solvent content:**

· **Solids content:**
· **Other information**

54.3 %

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** none
- **Additional information:** -

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

68909-20-6 hochdisperse Kieselsäure

Oral | LD50 | >5000 mg/kg (rat)

93685-79-1 Isoparaffingemisch

Oral | LD50 | >5000 mg/kg (rat)

· **Primary irritant effect:**

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
 - **Mobility in soil** No further relevant information available.

(Contd. on page 6)



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: PreVISION CEM

(Contd. of page 5)

- **Ecotoxicological effects:**
 - **Remark:** Very toxic for fish
- **Additional ecological information:**
 - **General notes:**
 - Do not allow product to reach ground water, water course or sewage system.
 - Danger to drinking water if even small quantities leak into the ground.
 - Also poisonous for fish and plankton in water bodies.
 - Very toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation**
 - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
 - **DOT, ADR, IMDG, IATA** UN3077
- **UN proper shipping name**
 - **DOT, IMDG, IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)
 - **ADR** 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)
- **Transport hazard class(es)**
 - **DOT, IMDG**
 - **Class** 9 Miscellaneous dangerous substances and articles
 - **Label** 9

(Contd. on page 7)



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: PreVISION CEM

(Contd. of page 6)

<ul style="list-style-type: none"> · ADR 	
<ul style="list-style-type: none"> · Class 	9 (M7) Miscellaneous dangerous substances and articles
<ul style="list-style-type: none"> · Label 	9
<hr/>	
<ul style="list-style-type: none"> · IATA 	
<ul style="list-style-type: none"> · Class 	9 Miscellaneous dangerous substances and articles
<ul style="list-style-type: none"> · Label 	9
<ul style="list-style-type: none"> · Packing group 	
<ul style="list-style-type: none"> · DOT, ADR, IMDG, IATA 	III
<ul style="list-style-type: none"> · Environmental hazards: 	
<ul style="list-style-type: none"> · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special marking (ADR): 	Symbol (fish and tree)
<ul style="list-style-type: none"> · Special marking (IATA): 	Symbol (fish and tree)
<ul style="list-style-type: none"> · Special precautions for user 	
Warning: Miscellaneous dangerous substances and articles	
<ul style="list-style-type: none"> · Danger code (Kemler): 	90
<ul style="list-style-type: none"> · EMS Number: 	F-A,S-F
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	
Not applicable.	
<ul style="list-style-type: none"> · Transport/Additional information: 	
-	
<ul style="list-style-type: none"> · UN "Model Regulation": 	
UN3077, Environmentally hazardous substances, solid, n.o.s. (zinc oxide), 9, III	

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act)** None of the ingredients is listed.

· **Carcinogeny categories**

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **GHS label elements** Void

(Contd. on page 8)



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: PreVISION CEM

(Contd. of page 7)

- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H226 Flammable liquid and vapor.
 - H315 Causes skin irritation.
 - H319 Causes serious eye irritation.
 - H335 May cause respiratory irritation.
- **Date of preparation / last revision** 06/03/2017 / 2
- **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - ACGIH: American Conference of Governmental Industrial Hygienists
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - HMIS: Hazardous Materials Identification System (USA)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - Flam. Liq. 3: Flammable liquids – Category 3
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- *** Data compared to the previous version altered.**