



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/09/2021

Reviewed on 08/09/2021

1 Identification

· **Product identifier**

· **Trade name: Venus flow**

· -

· **Application of the substance / the mixture** Dental filling material

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· **Information department:**

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545

e-mail: customer.servicehkna@kulzer-dental.com

· **Emergency telephone number:**

Emergency CONTACT (24-Hour-Number)

ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

· **Classification of the substance or mixture**

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

triethylen glycol dimethacrylate

methyl methacrylate

· **Hazard statements**

May cause an allergic skin reaction.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.


If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

· **Classification system**

· **NFPA ratings for USA (scale 0-4)**



Health = 0

Fire = 0

Reactivity = 0

(Contd. on page 2)

US



Safety Data Sheet
acc. to OSHA HCS

Printing date 08/09/2021

Reviewed on 08/09/2021

Trade name: **Venus flow**

· **HMIS-Ratings (Scale 0-4)**

(Contd. of page 1)

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

- **Description:** Composition based on methacrylates

· **Dangerous components:**

109-16-0	triethylen glycol dimethacrylate Skin Sens. 1B, H317	≥10-≤25%
80-62-6	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥0.1-<1%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**

- **General information** Immediately remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact**
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**
If symptoms persist consult doctor.
Rinse out mouth and then drink plenty of water.
- **Information for doctor**
 - **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.

- **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

- **Protective equipment:** No special measures required.

(Contd. on page 3)



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/09/2021

Reviewed on 08/09/2021

Trade name: **Venus flow**

· **Additional information -**

(Contd. of page 2)

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

· **Methods and material for containment and cleaning up:**

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).

· **Reference to other sections**

See Section 13 for disposal information.

See Section 8 for information on personal protection equipment.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

65997-17-3	Glaspulver	15 mg/m ³
109-16-0	triethylen glycol dimethacrylate	33 mg/m ³
2530-85-0	3-trimethoxysilylpropyl methacrylate	71 mg/m ³
80-62-6	methyl methacrylate	17 ppm
13463-67-7	Titanium dioxide	30 mg/m ³
64-19-7	acetic acid	5 ppm

· **PAC-2:**

65997-17-3	Glaspulver	170 mg/m ³
109-16-0	triethylen glycol dimethacrylate	360 mg/m ³
2530-85-0	3-trimethoxysilylpropyl methacrylate	780 mg/m ³
80-62-6	methyl methacrylate	120 ppm
13463-67-7	Titanium dioxide	330 mg/m ³
64-19-7	acetic acid	35 ppm

· **PAC-3:**

65997-17-3	Glaspulver	990 mg/m ³
109-16-0	triethylen glycol dimethacrylate	2,100 mg/m ³
2530-85-0	3-trimethoxysilylpropyl methacrylate	4,700 mg/m ³
80-62-6	methyl methacrylate	570 ppm
13463-67-7	Titanium dioxide	2,000 mg/m ³
64-19-7	acetic acid	250 ppm

7 Handling and storage

· **Handling**

· **Precautions for safe handling**

Wear protective equipment. Keep unprotected persons away.

Please observe the additional instructions in the product's instructions for use.

· **Information about protection against explosions and fires: No special measures required.**

(Contd. on page 4)



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/09/2021

Reviewed on 08/09/2021

Trade name: Venus flow

(Contd. of page 3)

- **Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Keep cool, if possible (not above 25 °C).
 - **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Not required.
 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
 - **Personal protective equipment**
 - **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
 - **Breathing equipment:** Not required.
 - **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Solvent resistant gloves
Check protective gloves prior to each use for their proper condition.
recommended
 - **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Butyl rubber, BR
Nitrile rubber, NBR
 - **Eye protection:** Tightly sealed goggles.
 - **Body protection:** Light weight protective clothing

US

(Contd. on page 5)



Safety Data Sheet
acc. to OSHA HCS

Printing date 08/09/2021

Reviewed on 08/09/2021

Trade name: **Venus flow**

(Contd. of page 4)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:** Pasty
· **Color:** Different according to coloring

· **Odor:** Characteristic
· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· **Melting point/Melting range:** undetermined
· **Boiling point/Boiling range:** undetermined

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· **Lower:** Not determined.
· **Upper:** Not determined.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 1.8 g/cm³ (15.021 lbs/gal)

· **Relative density** Not determined.
· **Vapor density** Not determined.
· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **dynamic:** Not determined.
· **kinematic:** Not determined.

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Possibility of hazardous reactions** No dangerous reactions known

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** none

· **Additional information:**

Product might polymerize after considerable exceeding of recommended storage time or temperature.

US
(Contd. on page 6)



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/09/2021

Reviewed on 08/09/2021

Trade name: Venus flow

(Contd. of page 5)

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

109-16-0 triethylen glycol dimethacrylate

Oral	LD50	8300 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (mouse)

80-62-6 methyl methacrylate

Oral	LD50	~7900 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rab) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** Guinea-Pig Maximisation Test (OECD 406): negative

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

80-62-6	methyl methacrylate	3
---------	---------------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

65997-17-3 Glaspulver

EC50/72h	>1000 mg/l (daphnia)
LC50/96h	>1000 mg/l (fish)
ErC50 / 72 h	>1000 mg/l (algae)
NOEC / 72h	1000 mg/l (algae)
	1000 mg/l (daphnia)

109-16-0 triethylen glycol dimethacrylate

EC50/21d	51.9 mg/L (daphnia) (OECD 211)
LC50/96h	16.4 mg/l (fish) (OECD 203)
NOEC / 21d	32 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>100 mg/l (algae) (OECD 201)
NOEC / 72h	18.6 mg/l (algae) (OECD 201)
EbC50 / 72h	72.8 mg/l (algae) (OECD 201)

80-62-6 methyl methacrylate

EC50/21d	49 mg/L (daphnia) (OECD 211)
----------	------------------------------

(Contd. on page 7)



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/09/2021

Reviewed on 08/09/2021

Trade name: Venus flow

(Contd. of page 6)

EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

· Persistence and degradability

109-16-0 triethylen glycol dimethacrylate

biodegradability 85 % /28d (nd) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

80-62-6 methyl methacrylate

biodegradability 94 % /14d (nd) (OECD 301C)

· Behavior in environmental systems:

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· Additional ecological information:

- **General notes:** Avoid transfer into the environment.

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

· Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number

- DOT, ADR, ADN, IMDG, IATA
- Void

· UN proper shipping name

- DOT, ADR, ADN, IMDG, IATA
- Void

· Transport hazard class(es)

- DOT, ADR, ADN, IMDG, IATA
- Class
- Void

· Packing group

- DOT, ADR, IMDG, IATA
- Void

(Contd. on page 8)



Safety Data Sheet
acc. to OSHA HCS

Printing date 08/09/2021

Reviewed on 08/09/2021

Trade name: Venus flow

(Contd. of page 7)

· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	-
· UN "Model Regulation":	Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· Sara

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

80-62-6 methyl methacrylate

· **Hazardous Air Pollutants**

80-62-6 methyl methacrylate

· **Proposition 65**

· **Prop 65 - Chemicals known to cause cancer**

The listing is for titanium dioxide as "airborne, unbound particles of respirable size".
Titanium dioxide of this product (< 0,1 %) is within a product matrix.

13463-67-7 Titanium dioxide

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

80-62-6 methyl methacrylate

E, NL

· **TLV (Threshold Limit Value)**

80-62-6 methyl methacrylate

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7 Titanium dioxide

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapor.

(Contd. on page 9)



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/09/2021

Reviewed on 08/09/2021

Trade name: Venus flow

(Contd. of page 8)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· **Date of preparation / last revision** 08/09/2021 / 2

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

US