



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

Hazardous according to criteria of Australian Safety and Compensation Council.

## 1 Identification

· **Product identifier**

· **Trade name:** **dima Print Stone beige**

· **Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC0 Other

· **Application of the substance / the mixture** Manufacture of dental prothesis

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer Australia Pty Ltd  
Unit 20, 53 Lorraine St  
PEAKHURST NSW 2210  
Australia

Tel: +61 (02) 9153 0311

· **Informing department:** see above

· **Emergency telephone number:**

Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766

## 2 Hazard(s) Identification

· **Classification of the substance or mixture**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **Label elements**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labelling:**

(2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

(octahydro-4,7-methano-1H-indenyl)methyl acrylate

Tricyclodecane dimethanol diacrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

· **Hazard statements**

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

· **Precautionary statements**

Avoid release to the environment.

Wear protective gloves / eye protection.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

AU



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

(Contd. of page 1)

- If eye irritation persists: Get medical advice/attention.
- **Other hazards -**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description: -**

| · <b>Dangerous components:</b> |   |          |
|--------------------------------|---|----------|
| 72869-86-4                     | 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate<br>Skin Sens. 1B, H317               | ≥10-≤50% |
| 93962-84-6                     | (octahydro-4,7-methano-1H-indenyl)methyl acrylate<br>Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317; STOT SE 3, H335 | ≥10-<20% |
| 40220-08-4                     | (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate<br>Eye Dam. 1, H318<br>Skin Sens. 1B, H317                       | ≥10-≤25% |
| 42594-17-2                     | Tricyclodecane dimethanol diacrylate<br>Skin Sens. 1B, H317   | ≥5-≤25%  |
| 162881-26-7                    | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide<br>Skin Sens. 1, H317  | ≥1-≤5%   |

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- **Description of first aid measures**
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact**  
Rinse opened eye for several minutes under running water. Then consult doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.  
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

(Contd. on page 3)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

· **Additional information -**

(Contd. of page 2)

**6 Accidental Release Measures**

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **Methods and material for containment and cleaning up:**  
Dispose of the material collected according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

**7 Handling and Storage**

- **Handling**
  - **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
  - **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and containers:** Protect from the effects of light.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls and personal protection**

- **Control parameters**
  - **Components with critical values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.  
Not required.

| · <b>DNELs</b>   |                               |                   |
|--|-------------------------------|-------------------|
| <b>72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate</b> |                               |                   |
| Oral   | ge.pop., l.te, syst.          | 0.3 mg/Kg (nd)    |
| Dermal   | worker industr., l.te., syst. | 1.3 mg/Kg/d (nd)  |
|  | ge.pop., l.te, syst.          | 0.7 mg/Kg/d (nd)  |
| Inhalative   | worker industr., l.te., syst. | 3.3 mg/m3 (nd)    |
|  | ge.pop., l.te, syst.          | 0.6 mg/m3 (nd)    |
| <b>40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate</b>                             |                               |                   |
| Oral   | ge.pop., l.te, syst.          | 0.083 mg/Kg (nd)  |
| Dermal   | worker industr., l.te., syst. | 2.3 mg/Kg/d (nd)  |
|  | ge.pop., l.te, syst.          | 0.83 mg/Kg/d (nd) |

(Contd. on page 4)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

(Contd. of page 3)

|  |                               |                             |
|--|-------------------------------|-----------------------------|
| Inhalative   | worker industr., l.te., syst. | 1.65 mg/m <sup>3</sup> (nd) |
|  | ge.pop., l.te, syst.          | 0.29 mg/m <sup>3</sup> (nd) |
| <b>131-57-7 Oxybenzone</b>   |                               |                             |
| Oral   | ge.pop., l.te, syst.          | 2 mg/Kg (nd)                |
| Dermal   | worker industr., l.te., syst. | 39 mg/Kg/d (nd)             |
|  | ge.pop., l.te, syst.          | 20 mg/Kg/d (nd)             |
| Inhalative   | worker industr., l.te., syst. | 27.7 mg/m <sup>3</sup> (nd) |
|  | ge.pop., l.te, syst.          | 6.8 mg/m <sup>3</sup> (nd)  |
| <b>· PNECs</b>   |                               |                             |
| <b>72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate</b> |                               |                             |
| freshwater   |                               | 0.01 mg/l (nd)              |
| marine water   |                               | 0.001 mg/l (nd)             |
| STP  |                               | 3.61 mg/l (nd)              |
| sedim., dw, fre.wat.   |                               | 4.56 mg/Kg (nd)             |
| sedim., dw, mar.wat.   |                               | 0.46 mg/Kg (nd)             |
| soil,dw  |                               | 0.91 mg/Kg (nd)             |
| <b>40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate</b>                             |                               |                             |
| freshwater   |                               | 0.00943 mg/l (nd)           |
| marine water   |                               | 0.000943 mg/l (nd)          |
| STP  |                               | 10 mg/l (nd)                |
| sedim., dw, fre.wat.   |                               | 0.62 mg/Kg (nd)             |
| sedim., dw, mar.wat.   |                               | 0.062 mg/Kg (nd)            |
| soil,dw  |                               | 0.118 mg/Kg (nd)            |
| <b>42594-17-2 Tricyclodecane dimethanol diacrylate</b>   |                               |                             |
| freshwater   |                               | 0.0016 mg/l (nd)            |
| marine water   |                               | 0.00016 mg/l (nd)           |
| STP  |                               | 10 mg/l (nd)                |
| sedim., dw, fre.wat.   |                               | 0.6576 mg/Kg (nd)           |
| sedim., dw, mar.wat.   |                               | 0.0658 mg/Kg (nd)           |
| soil,dw  |                               | 0.1306 mg/Kg (nd)           |
| <b>131-57-7 Oxybenzone</b>   |                               |                             |
| freshwater   |                               | 0.00067 mg/l (nd)           |
| marine water   |                               | 0.000067 mg/l (nd)          |
| STP  |                               | 10 mg/l (nd)                |
| sedim., dw, fre.wat.   |                               | 0.066 mg/Kg (nd)            |
| sedim., dw, mar.wat.   |                               | 0.007 mg/Kg (nd)            |
| soil,dw  |                               | 0.013 mg/Kg (nd)            |

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Avoid contact with the eyes.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

(Contd. on page 5)

AU



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

(Contd. of page 4)

- **Breathing equipment:** Not required.
- **Protection of hands:**  
If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.  
Check protective gloves prior to each use for their proper condition.  
recommended
  - **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
  - **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
  - **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**  
Butyl rubber, BR  
Nitrile rubber, NBR
- **Eye protection:** not absolutely necessary
- **Body protection:** Light weight protective clothing

## 9 Physical and Chemical Properties

### · Information on basic physical and chemical properties

#### · General Information

- **Appearance:**
  - **Form:** Fluid
  - **Colour:** Light brown
  - **Smell:** Benzen-like
  - **Odour threshold:** Not determined.

- **pH-value:** Not determined.

#### · Change in condition

- **Melting point/freezing point:** Not determined
- **Initial boiling point and boiling range:** Not determined

- **Flash point:** Not applicable

- **Inflammability (solid, gaseous)** Not applicable.

- **Decomposition temperature:** Not determined.

- **Self-inflammability:** Product is not selfigniting.

- **Explosive properties:** Product is not explosive.

#### · Critical values for explosion:

- **Lower:** Not determined.
- **Upper:** Not determined.

- **Steam pressure:** Not determined.

- **Density at 20 °C** ca. 1 g/cm<sup>3</sup>
  - **Relative density** Not determined.
  - **Vapour density** Not determined.
  - **Evaporation rate** Not determined.

(Contd. on page 6)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

(Contd. of page 5)

|   |  |
|---|--|
| · <b>Solubility in / Miscibility with</b><br>· <b>Water:</b>    | Not miscible or difficult to mix           |
| · <b>Partition coefficient: n-octanol/water:</b>                | Not determined.                            |
| · <b>Viscosity:</b><br>· <b>dynamic:</b><br>· <b>kinematic:</b> | Not determined.<br>Not determined.         |
| · <b>Solvent content:</b><br>· <b>Water:</b>                    | 0.0 %                                      |
| · <b>Solids content:</b>  | 0.3 %                                      |
| · <b>Other information</b>                                      | No further relevant information available. |

### 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
  - Photoreactive
  - Polymerisation
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None
- **Additional information:** -

### 11 Toxicological Information

- **Information on toxicological effects**
  - **Acute toxicity**

|  |      |                                |
|--|------|--------------------------------|
| · <b>LD/LC50 values that are relevant for classification:</b>  |      |                                |
| <b>72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate</b> |      |                                |
| Oral   | LD50 | >5,000 mg/kg (rat) (OECD 401)  |
| Dermal   | LD50 | >2,000 mg/kg (rat) (OECD 402)  |
| <b>93962-84-6 (octahydro-4,7-methano-1H-indenyl)methyl acrylate</b>  |      |                                |
| Oral   | LD0  | >2,000 mg/kg (rat) (OECD 423)  |
| <b>40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate</b>                             |      |                                |
| Oral   | LD50 | >2,000 mg/kg (rat) (OECD 423)  |
| <b>42594-17-2 Tricyclodecane dimethanol diacrylate</b>   |      |                                |
| Oral   | LD0  | >2,000 mg/kg (rat) (OECD 423)  |
| Dermal   | LD0  | >2,000 mg/kg (rat) (OECD 402)  |
| <b>162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide</b>  |      |                                |
| Oral   | LD50 | >2,000 mg/kg (rat) (OECD 401)  |
| Dermal   | LD50 | >2,000 mg/kg (rat) (OECD 402)  |
| <b>131-57-7 Oxybenzone</b>   |      |                                |
| Oral   | LD50 | >12,800 mg/kg (rat) (OECD 401) |

(Contd. on page 7)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

(Contd. of page 6)

Dermal | LD50 | >16,000 mg/kg (rabbit) (OECD 402)

· **Primary irritant effect:**

- **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** Sensitization possible by skin contact.

· **Additional toxicological information:**

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Reproductive toxicity**

**162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

Oral | NOAEL (parental toxicity) | >1,000 mg/kg/d (rat)

**12 Ecological Information**

· **Toxicity**

· **Aquatic toxicity:**

**72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate**

EC50/48h | >1.2 mg/l (daphnia) (OECD 202)

LC50/96h | 10.1 mg/l (fish) (OECD 203)

ErC50 / 72 h | >0.68 mg/l (algae) (OECD 201)

NOEC / 72h | 0.21 mg/l (algae) (OECD 201)

**40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate**

EC50/48h | 158.3 mg/l (daphnia) (OECD 202)

LC50/96h | 9.43 mg/l (fish) (OECD 203)

ErC50 / 72 h | 25.7 mg/l (algae) (OECD 201)

ErC10/72h | 12.9 mg/L (algae) (OECD 201)

**42594-17-2 Tricyclodecane dimethanol diacrylate**

EC50/48h | 2.36 mg/l (daphnia) (OECD 202)

LC50/96h | 1.65 mg/l (fish) (OECD 203)

ErC50 / 72 h | 1.6 mg/l (algae) (OECD 201)

**162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

EC50/72h | >0.26 mg/l (algae) (OECD 201)

EC50/48h | >1.175 mg/l (daphnia) (OECD 202)

LC50/96h | >0.09 mg/l (fish) (OESO 203)

**131-57-7 Oxybenzone**

EC50/48h | 1.87 mg/l (daphnia) (OECD 202)

LC50/96h | 3.8 mg/l (fish) (OECD 203)

ErC50 / 72 h | 0.67 mg/l (algae) (OECD 201)

NOEC / 72h | 0.18 mg/l (algae) (OECD 201)

NOEC / 96h | 0.72 mg/l (fish) (OECD 203)

NOEC / 48h | 1.15 mg/l (daphnia) (OECD 202)

· **Persistence and degradability**

**72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate**

Biodegradation | 22 % /28d (nd) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

(Contd. on page 8)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

(Contd. of page 7)

**40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate**

Biodegradation 14.5-19.7 % /28d (nd) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

**131-57-7 Oxybenzone**

Biodegradation 60-70 % /28d (nd)

**Behaviour in environmental systems:**

**Bioaccumulative potential**

**131-57-7 Oxybenzone**

Bloconcentration factor (BCF) >33-<160 (fish) (OECD 305)

**Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:** Harmful to fish

**Additional ecological information:**

**General notes:**

Harmful to aquatic organisms

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods**

**Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

**Uncleaned packagings:**

**Recommendation:**

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

**14 Transport information**

**UN-Number**

**ADG, IMDG, IATA**

UN3082

**UN proper shipping name**

**ADG**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate, (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate)

(Contd. on page 9)

AU





**Safety Data Sheet**  
according to WHS Regulations

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

(Contd. of page 8)

· **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate, (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate), MARINE POLLUTANT

· **IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate, (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate)

· **Transport hazard class(es)**

· **ADG**



· **Class**

9 (M6) Miscellaneous dangerous substances and articles.

· **Label**

9

· **IMDG, IATA**



· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **Packing group**

· **ADG, IMDG, IATA**

III

· **Environmental hazards:**

· **Marine pollutant:**

Symbol (fish and tree)

· **Special marking (ADG):**

Symbol (fish and tree)

· **Special marking (IATA):**

Symbol (fish and tree)

· **Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

· **Kemler Number:**

90

· **EMS Number:**

F-A, S-F

· **Stowage Category**

A

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

-

· **ADG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging:

(Contd. on page 10)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

(Contd. of page 9)

|                                   |   |
|-----------------------------------|---|
| · <b>Transport category</b>       | 1000 ml   |
| · <b>Tunnel restriction code</b>  | 3   |
| <hr/>                             |   |
| · <b>IMDG</b>                     |   |
| · <b>Limited quantities (LQ)</b>  | 5L  |
| · <b>Excepted quantities (EQ)</b> | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml  |
| · <b>UN "Model Regulation":</b>   | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(OR 7,9,9)-TRIMETHYL-4,13-DIOXO-3,14-DIOXA-5,12-DIAZAHEXADECANE-1,16-DIYL BISMETHACRYLATE, (2,4,6-TRIOXO-1,3,5-TRIAZINANE-1,3,5-TRIYL) TRIETHYLENE TRIACRYLATE), 9, III |

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Industrial Chemicals**

All ingredients are listed.

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category E2** Hazardous to the Aquatic Environment

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

· **National regulations**

The product is subject to classification in accordance with the prevailing version of the regulations on hazardous materials.

· **Other regulations, limitations and prohibitive regulations**

· **AICS - Australian Inventory of Chemical Substances**

All ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

(Contd. on page 11)



**Safety Data Sheet  
according to WHS Regulations**

Printing date 05.08.2021

Version number 2

Revision: 05.08.2021

**Trade name: dima Print Stone beige**

(Contd. of page 10)

**· Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*  
*IMDG: International Maritime Code for Dangerous Goods*  
*IATA: International Air Transport Association*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*DNEL: Derived No-Effect Level (REACH)*  
*PNEC: Predicted No-Effect Concentration (REACH)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*  
*Skin Sens. 1: Skin sensitisation – Category 1*  
*Skin Sens. 1B: Skin sensitisation – Category 1B*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

AU