



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **dima Print Stone beige**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· Application of the substance / the mixture Manufacture of dental prothesis

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522

· **Informing department:** E-Mail: msds@kulzer-dental.com

· **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

(2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

(octahydro-4,7-methano-1H-indenyl)methyl acrylate

Tricyclodecane dimethanol diacrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

· **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 1)

- **Additional information:**
Contains isocyanates. May produce an allergic reaction.
- **2.3 Other hazards -**
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** -

· Dangerous components:		
CAS: 72869-86-4 EINECS: 276-957-5 Reg.nr.: 01-2120751202-68-xxxx	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate ----- Aquatic Chronic 2, H411 Skin Sens. 1B, H317	≥25-≤50%
CAS: 93962-84-6 EC number: 300-723-4 Reg.nr.: 01-2120785023-58-xxxx	(octahydro-4,7-methano-1H-indenyl)methyl acrylate ----- Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; STOT SE 3, H335	≥10-<20%
CAS: 40220-08-4 EINECS: 254-843-6 Reg.nr.: 01-2120741502-64-xxxx	(2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate ----- Eye Dam. 1, H318 Aquatic Chronic 2, H411 Skin Sens. 1B, H317	≥10-<25%
CAS: 42594-17-2 Reg.nr.: 01-2120051112-76-xxxx	Tricyclodecane dimethanol diacrylate ----- Aquatic Chronic 2, H411 Skin Sens. 1B, H317	≥5-<25%
CAS: 162881-26-7 ELINCS: 423-340-5 Reg.nr.: 01-2119489401-38-xxxx	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide ----- Skin Sens. 1, H317 Aquatic Chronic 4, H413	≥1-≤5%
CAS: 131-57-7 EINECS: 205-031-5	Oxybenzone ----- Aquatic Acute 1, H400; Aquatic Chronic 2, H411	≥0.25-<1%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
 - **After inhalation** Supply fresh air; consult doctor in case of symptoms.
 - **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
 - **After eye contact**
Rinse opened eye for several minutes under running water. Then consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

GB
(Contd. on page 3)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
 - **Protective equipment:** No special measures required.
 - **Additional information -**

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
-

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
 - **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:** Protect from the effects of light.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
 - **Components with critical values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Not required.

· DNELs		
72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate		
Oral	ge.pop., l.te, syst.	0.3 mg/Kg (nd)
Dermal	worker industr., l.te., syst.	1.3 mg/Kg/d (nd)
	ge.pop., l.te, syst.	0.7 mg/Kg/d (nd)

(Contd. on page 4)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 3)

<i>Inhalative</i>	<i>worker industr., l.te., syst.</i>	3.3 mg/m ³ (nd)
	<i>ge.pop., l.te, syst.</i>	0.6 mg/m ³ (nd)
40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate		
<i>Oral</i>	<i>ge.pop., l.te, syst.</i>	0.083 mg/Kg (nd)
<i>Dermal</i>	<i>worker industr., l.te., syst.</i>	2.3 mg/Kg/d (nd)
	<i>ge.pop., l.te, syst.</i>	0.83 mg/Kg/d (nd)
<i>Inhalative</i>	<i>worker industr., l.te., syst.</i>	1.65 mg/m ³ (nd)
	<i>ge.pop., l.te, syst.</i>	0.29 mg/m ³ (nd)
131-57-7 Oxybenzone		
<i>Oral</i>	<i>ge.pop., l.te, syst.</i>	2 mg/Kg (nd)
<i>Dermal</i>	<i>worker industr., l.te., syst.</i>	39 mg/Kg/d (nd)
	<i>ge.pop., l.te, syst.</i>	20 mg/Kg/d (nd)
<i>Inhalative</i>	<i>worker industr., l.te., syst.</i>	27.7 mg/m ³ (nd)
	<i>ge.pop., l.te, syst.</i>	6.8 mg/m ³ (nd)
PNECs		
72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate		
<i>freshwater</i>		0.01 mg/l (nd)
<i>marine water</i>		0.001 mg/l (nd)
<i>STP</i>		3.61 mg/l (nd)
<i>sedim., dw, fre.wat.</i>		4.56 mg/Kg (nd)
<i>sedim., dw, mar.wat.</i>		0.46 mg/Kg (nd)
<i>soil,dw</i>		0.91 mg/Kg (nd)
40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate		
<i>freshwater</i>		0.00943 mg/l (nd)
<i>marine water</i>		0.000943 mg/l (nd)
<i>STP</i>		10 mg/l (nd)
<i>sedim., dw, fre.wat.</i>		0.62 mg/Kg (nd)
<i>sedim., dw, mar.wat.</i>		0.062 mg/Kg (nd)
<i>soil,dw</i>		0.118 mg/Kg (nd)
42594-17-2 Tricyclodecane dimethanol diacrylate		
<i>freshwater</i>		0.0016 mg/l (nd)
<i>marine water</i>		0.00016 mg/l (nd)
<i>STP</i>		10 mg/l (nd)
<i>sedim., dw, fre.wat.</i>		0.6576 mg/Kg (nd)
<i>sedim., dw, mar.wat.</i>		0.0658 mg/Kg (nd)
<i>soil,dw</i>		0.1306 mg/Kg (nd)
131-57-7 Oxybenzone		
<i>freshwater</i>		0.00067 mg/l (nd)
<i>marine water</i>		0.000067 mg/l (nd)
<i>STP</i>		10 mg/l (nd)
<i>sedim., dw, fre.wat.</i>		0.066 mg/Kg (nd)
<i>sedim., dw, mar.wat.</i>		0.007 mg/Kg (nd)
<i>soil,dw</i>		0.013 mg/Kg (nd)

(Contd. on page 5)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 4)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Avoid contact with the eyes.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

· **Breathing equipment:** Not required.

· **Protection of hands:**

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye protection:** not absolutely necessary

· **Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:** Fluid

· **Colour:** Light brown

· **Smell:** Benzen-like

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· **Melting point/freezing point:** Not determined

· **Initial boiling point and boiling range:** Not determined

· **Flash point:** Not applicable

· **Inflammability (solid, gaseous)** Not applicable.

· **Decomposition temperature:** Not determined.

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Critical values for explosion:**

· **Lower:** Not determined.

(Contd. on page 6)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 5)

· Upper:	Not determined.
· Steam pressure:	Not determined.
· Density at 20 °C	ca. 1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· dynamic:	Not determined.
· kinematic:	Not determined.
· Solvent content:	
· Water:	0.0 %
· Solids content:	0.3 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
 - Photoreactive
 - Polymerisation
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None
 - **Additional information:** -

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Oral LD50 >5000 mg/kg (rat) (OECD 401)

Dermal LD50 >2000 mg/kg (rat) (OECD 402)

93962-84-6 (octahydro-4,7-methano-1H-indenyl)methyl acrylate

Oral LD0 >2000 mg/kg (rat) (OECD 423)

40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate

Oral LD50 >2000 mg/kg (rat) (OECD 423)

42594-17-2 Tricyclodecane dimethanol diacrylate

Oral LD0 >2000 mg/kg (rat) (OECD 423)

Dermal LD0 >2000 mg/kg (rat) (OECD 402)

(Contd. on page 7)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 6)

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Oral LD50 >2000 mg/kg (rat) (OECD 401)

Dermal LD50 >2000 mg/kg (rat) (OECD 402)

131-57-7 Oxybenzone

Oral LD50 >12800 mg/kg (rat) (OECD 401)

Dermal LD50 >16000 mg/kg (rabbit) (OECD 402)

· **Primary irritant effect:**

· **Skin corrosion/irritation**

Causes skin irritation.

· **Serious eye damage/irritation**

Causes serious eye damage.

· **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

· **Additional toxicological information:**

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity**

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Oral NOAEL (parental toxicity) >1000 mg/kg/d (rat)

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diyl bismethacrylate

EC50/48h >1.2 mg/l (daphnia) (OECD 202)

LC50/96h 10.1 mg/l (fish) (OECD 203)

ErC50 / 72 h >0.68 mg/l (algae) (OECD 201)

NOEC / 72h 0.21 mg/l (algae) (OECD 201)

40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate

EC50/48h 158.3 mg/l (daphnia) (OECD 202)

LC50/96h 9.43 mg/l (fish) (OECD 203)

ErC50 / 72 h 25.7 mg/l (algae) (OECD 201)

ErC10/72h 12.9 mg/L (algae) (OECD 201)

42594-17-2 Tricyclodecane dimethanol diacrylate

EC50/48h 2.36 mg/l (daphnia) (OECD 202)

LC50/96h 1.65 mg/l (fish) (OECD 203)

ErC50 / 72 h 1.6 mg/l (algae) (OECD 201)

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

EC50/72h >0.26 mg/l (algae) (OECD 201)

EC50/48h >1.175 mg/l (daphnia) (OECD 202)

LC50/96h >0.09 mg/l (fish) (OESO 203)

(Contd. on page 8)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 7)

131-57-7 Oxybenzone

EC50/48h	1.87 mg/l (daphnia) (OECD 202)
LC50/96h	3.8 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.67 mg/l (algae) (OECD 201)
NOEC / 72h	0.18 mg/l (algae) (OECD 201)
NOEC / 96h	0.72 mg/l (fish) (OECD 203)
NOEC / 48h	1.15 mg/l (daphnia) (OECD 202)

12.2 Persistence and degradability

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Biodegradation 22 % /28d (nd) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

40220-08-4 (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate

Biodegradation 14.5-19.7 % /28d (nd) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

131-57-7 Oxybenzone

Biodegradation 60-70 % /28d (nd)

12.3 Bioaccumulative potential

131-57-7 Oxybenzone

Bloconcentration factor (BCF) >33-<160 (fish) (OECD 305)

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

· **Remark:** Harmful to fish

Additional ecological information:

General notes:

Harmful to aquatic organisms

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

14.1 UN-Number

· **ADR, IMDG, IATA**

UN3082

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 8)

· 14.2 UN proper shipping name

· ADR

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate, (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl) triethylene triacrylate)

· IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate, (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl) triethylene triacrylate), MARINE POLLUTANT

· IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate, (2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl) triethylene triacrylate)

· 14.3 Transport hazard class(es)

· ADR



· Class

9 (M6) Miscellaneous dangerous substances and articles.

· Label

9

· IMDG, IATA



· Class

9 Miscellaneous dangerous substances and articles.

· Label

9

· 14.4 Packing group

· ADR, IMDG, IATA

III

· 14.5 Environmental hazards:

· Marine pollutant:

Symbol (fish and tree)

· Special marking (ADR):

Symbol (fish and tree)

· Special marking (IATA):

Symbol (fish and tree)

· 14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

· Kemler Number:

90

· EMS Number:

F-A,S-F

· Stowage Category

A

(Contd. on page 10)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 9)

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code		Not applicable.
· Transport/Additional information:		-
· ADR		
· Limited quantities (LQ)		5L
· Excepted quantities (EQ)		Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category		3
· Tunnel restriction code		-
· IMDG		
· Limited quantities (LQ)		5L
· Excepted quantities (EQ)		Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":		UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(OR 7,9,9)-TRIMETHYL-4,13-DIOXO-3,14-DIOXA-5,12-DIAZAHEXADECANE-1,16-DIYL BISMETHACRYLATE, (2,4,6-TRIOXO-1,3,5-TRIAZINANE-1,3,5-TRIYL) TRIETHYLENE TRIACRYLATE), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - Directive 2012/18/EU
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

(Contd. on page 11)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 14.07.2021

Version number 2

Revision: 14.07.2021

Trade name: dima Print Stone beige

(Contd. of page 10)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

· * Data compared to the previous version altered.